

=> d his ful

(FILE 'HOME' ENTERED AT 18:12:29 ON 14 JUN 2006)

FILE 'REGISTRY' ENTERED AT 18:12:36 ON 14 JUN 2006

L3  
L5

STR  
54 SEA SSS FUL L3

FILE 'HCAPLUS' ENTERED AT 18:29:43 ON 14 JUN 2006

L8  
L9

19 SEA ABB=ON PLU=ON L5  
5968 SEA ABB=ON PLU=ON CONSTIPATION/CV OR INTESTINE, DISEASE (L)  
CONSTIPATION/CV OR CONSTIPATION OR DEFECAT?

L10  
L11

1 SEA ABB=ON PLU=ON L8 AND L9  
45815 SEA ABB=ON PLU=ON (DEFECATION/CV OR ANTIDIARRHEALS/CV OR  
DIARRHEA/CV OR FECES/CV OR LAXATIVES/CV) OR FECES OR ?LAXATIVE?  
OR ?DYSCHIEZ?

L13  
L14

18 SEA ABB=ON PLU=ON L8 NOT L10  
111 SEA ABB=ON PLU=ON "KAMEI K"/AU OR KAMEI KENSHI/AU  
35 SEA ABB=ON PLU=ON "SUDO H"/AU OR "SUDO HIROKAZU"/AU  
132 SEA ABB=ON PLU=ON "OZAKI KENICHI"/AU OR OZAKI K/AU  
42 SEA ABB=ON PLU=ON ("CYNCHI O"/AU OR "CYNCHI OSAMU"/AU)  
367 SEA ABB=ON PLU=ON "SATO HIDEKI"/AU  
0 SEA ABB=ON PLU=ON (L14 AND L15 AND L16 AND L17 AND L18) NOT  
(L10 OR L13)

L15  
L16

L17  
L18

L19

L20

L21

L22

L23

L24

1 SEA ABB=ON PLU=ON (L14 AND (L15 OR L16 OR L17 OR L18)) NOT  
(L10 OR L13)  
0 SEA ABB=ON PLU=ON (L15 AND (L16 OR L17 OR L18)) NOT (L10 OR  
L13)  
0 SEA ABB=ON PLU=ON (L16 AND (L17 OR L18)) NOT (L10 OR L13)  
0 SEA ABB=ON PLU=ON (L17 AND L18) NOT (L10 OR L13)  
0 SEA ABB=ON PLU=ON ((L14 OR L15 OR L16 OR L17 OR L18) AND (L9  
OR L11)) NOT (L10 OR L13)

FILE 'REGISTRY' ENTERED AT 18:48:39 ON 14 JUN 2006  
10070 SEA ABB=ON PLU=ON ERYTHROMYCI?

L25

FILE 'HCAPLUS' ENTERED AT 18:49:21 ON 14 JUN 2006

L26  
L27

22136 SEA ABB=ON PLU=ON L25 OR ?ERYTHROMYCI?  
0 SEA ABB=ON PLU=ON ((L14 OR L15 OR L16 OR L17 OR L18) AND  
L26) NOT (L10 OR L13)

L29

173969 SEA ABB=ON PLU=ON (MACROLIDES/CV OR ERYTHROMYCIN/CV OR  
"ERYTHROMYCIN A"/CV OR "ANTIBIOTIC RESISTANCE"/CV) OR MACROLID?  
OR ANTIBIOTI?

L30

L31

1 SEA ABB=ON PLU=ON ((L14 OR L15 OR L16 OR L17 OR L18) AND  
L29) NOT (L10 OR L13)  
2 SEA ABB=ON PLU=ON L19 OR L20 OR L21 OR L22 OR L23 OR L24 OR  
L27 OR L30  
D STAT QUE L31  
D IBIB ABS HITSTR L31 1-2

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 13 JUN 2006 HIGHEST RN 887650-39-7  
DICTIONARY FILE UPDATES: 13 JUN 2006 HIGHEST RN 887650-39-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

\*\*\*\*\*  
\*  
\* The CA roles and document type information have been removed from \*  
\* the IDE default display format and the ED field has been added, \*  
\* effective March 20, 2005. A new display format, IDERL, is now \*  
\* available and contains the CA role and document type information. \*  
\*  
\*\*\*\*\*

Structure search iteration limits have been increased. See HELP SLIMITS  
for details.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

#### FILE HCAPLUS

Copyright of the articles to which records in this database refer is  
held by the publishers listed in the PUBLISHER (PB) field (available  
for records published or updated in Chemical Abstracts after December  
26, 1996), unless otherwise indicated in the original publications.  
The CA Lexicon is the copyrighted intellectual property of the  
the American Chemical Society and is provided to assist you in searching  
databases on STN. Any dissemination, distribution, copying, or storing  
of this information, without the prior written consent of CAS, is  
strictly prohibited.

FILE COVERS 1907 - 14 Jun 2006 VOL 144 ISS 25  
FILE LAST UPDATED: 13 Jun 2006 (20060613/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate  
substance identification.

=>

=&gt; fil hcaplus

FILE 'HCAPLUS' ENTERED AT 18:29:43 ON 14 JUN 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Jun 2006 VOL 144 ISS 25

FILE LAST UPDATED: 13 Jun 2006 (20060613/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.


This file contains CAS Registry Numbers for easy and accurate substance identification.

=&gt;

=&gt;

=&gt; d stat que

L3 STR



NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 32

## STEREO ATTRIBUTES: NONE

L5 54 SEA FILE=REGISTRY SSS FUL L3  
 L8 19 SEA FILE=HCAPLUS ABB=ON PLU=ON L5  
 L9 5968 SEA FILE=HCAPLUS ABB=ON PLU=ON CONSTIPATION/CV OR INTESTINE,  
 DISEASE (L) CONSTIPATION/CV OR CONSTIPATION OR DEFECAT?  
 L10 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L8 AND L9

=&gt;

=&gt;

=&gt; d ibib abs hitstr l10 1

L10 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 2004:368938 HCAPLUS

DOCUMENT NUMBER: 140:368695

TITLE: Therapeutic and/or preventive agent for dyschezia

INVENTOR(S): Kamei, Kenshi; Sudo, Hirokazu; Ozaki, Kenichi; Cynshi, Osamu; Sato, Hideki

PATENT ASSIGNEE(S): Chugai Seiyaku Kabushiki Kaisha, Japan

SOURCE: PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004037273	A1	20040506	WO 2003-JP13627	20031024
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2503088	AA	20040506	CA 2003-2503088	20031024
AU 2003275652	A1	20040513	AU 2003-275652	20031024
EP 1557169	A1	20050727	EP 2003-758879	20031024
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2006014706	A1	20060119	US 2005-532585	20050425
PRIORITY APPLN. INFO.:			JP 2002-311284	A 20021025
			WO 2003-JP13627	W 20031024
OTHER SOURCE(S):	MARPAT	140:368695		
GI				

= inventive  
 entity



AB A therapeutic and/or preventive agent for dyschezia which is suitable for persistent administration and contains as an active ingredient either a compound represented by the formula I (R1 and R2 = C1-6 alkyl) or a pharmaceutically acceptable salt of the compound. The erythromycin derivative represented by the formula I functions to alleviate dyschezia. Unlike laxatives, the compound promotes natural defecation. The compound represented by the formula I has lower antibacterial activity than erythromycin and is hence suitable for long-term clin. use. Thus, the drug is safe and highly effective in treatments for and/or prevention of dyschezia.

IT 154802-96-7, GM 611

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(erythromycin derivative as a therapeutic and/or preventive agent for dyschezia)

RN 154802-96-7 HCAPLUS


CN Erythromycin, 8,9-didehydro-N-demethyl-9-deoxo-6,11-dideoxy-6,9-epoxy-12-O-methyl-N-(1-methylethyl)-11-oxo-, (2E)-2-butenedioate (2:1) (9CI) (CA INDEX NAME)

CM 1

CRN 154738-42-8

CMF C40 H69 N O12

Absolute stereochemistry.




CM 2

CRN 110-17-8

CMF C4 H4 O4

Double bond geometry as shown.



REFERENCE COUNT:

16

THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> => d stat que 113

L3

STR

L25 10070 SEA FILE=REGISTRY ABB=ON PLU=ON ERYTHROMYCI?  
 L26 22136 SEA FILE=HCAPLUS ABB=ON PLU=ON L25 OR ?ERYTHROMYCI?  
 L27 0 SEA FILE=HCAPLUS ABB=ON PLU=ON ((L14 OR L15 OR L16 OR L17 OR  
 L18) AND L26) NOT (L10 OR L13)  
 L29 173969 SEA FILE=HCAPLUS ABB=ON PLU=ON (MACROLIDES/CV OR ERYTHROMYCIN  
 /CV OR "ERYTHROMYCIN A"/CV OR "ANTIBIOTIC RESISTANCE"/CV) OR  
 MACROLID? OR ANTIBIOTI?  
 L30 1 SEA FILE=HCAPLUS ABB=ON PLU=ON ((L14 OR L15 OR L16 OR L17 OR  
 L18) AND L29) NOT (L10 OR L13)  
 L31 2 SEA FILE=HCAPLUS ABB=ON PLU=ON L19 OR L20 OR L21 OR L22 OR  
 L23 OR L24 OR L27 OR L30

=&gt;

=&gt;

=&gt; d ibib abs hitstr l31 1-2

L31 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:819382 HCAPLUS

DOCUMENT NUMBER: 132:64107

TITLE: Preparation of cephem compounds as antibacterial agents

INVENTOR(S): Hanaki, Hideaki; Yamazaki, Hiroaki; Tsuchida, Yoshio;  
Sato, Hideki; Hiramatsu, Keiichi; Kawashima,  
Seiichiro

PATENT ASSIGNEE(S): Zenyaku Kogyo K. K., Japan

SOURCE: PCT Int. Appl., 63 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese



FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9967256	A1	19991229	WO 1999-JP3367	19990624
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2335768	AA	19991229	CA 1999-2335768	19990624
EP 1090920	A1	20010411	EP 1999-926786	19990624
R: BE, CH, DE, DK, ES, FR, GB, IT, LI, NL, SE				
AU 744164	B2	20020214	AU 1999-43927	19990624
PRIORITY APPLN. INFO.:			JP 1998-177880	A 19980624
			WO 1999-JP3367	W 19990624

OTHER SOURCE(S): MARPAT 132:64107

GI



AB Cephem derivs. represented by general formula [I; wherein the ring containing A is a benzene ring, a pyridine ring, a pyrazine ring or a five-membered aromatic heterocycle (containing one oxygen or sulfur atom as the cycle-constituting atom); X and Y are each hydrogen, or alternatively CXY is C:N-OH; R1 is Ph, thienyl or thiazolyl (which may be substituted with amino or halogeno); and R2, R3 and R4 are each hydrogen, halogeno, hydroxy C1-C6 alkyl, isothiuronium C1-C6 alkyl, amino C1-C6 alkyl or amino C1-C6 alkyl thio Me, with the proviso that when the ring containing A is a five-membered aromatic heterocycle, R4 is absent] and pharmaceutically acceptable salts thereof are prepared These compds. exhibit antibacterial activity against methicillin-resistant *Staphylococcus aureus* (MRSA) and vancomycin-resistant *Enterococcus faecalis* (VRE). Thus, benzhydryl 7 $\beta$ -amino-3-(7-oxo-7H-thieno[3,2-b]thiopyran-5-yl)thio-3-cephem-4-carboxylate was condensed with (Z)-2-trityloxyimino-2-(2-tritylaminothiazol-4-yl)acetic acid using dicyclohexylcarbodiimide followed by treatment with CF<sub>3</sub>CO<sub>2</sub>H and anisole to give title compound (II), which showed min. inhibitory concentration of 0.10, 1.56, and 0.78  $\mu$ g/mL against *S. aureus* FDA 209P, *E. faecalis* NCTC-12201, and MRSA as compared to 0.78, >1,000, and 1.56  $\mu$ g/mL for vancomycin.

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L31 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2006 ACS on STN

ACCESSION NUMBER: 1999:26563 HCAPLUS

DOCUMENT NUMBER: 130:204891

TITLE: Hemodynamic and hormonal responses to nicorandil in a canine model of acute ischemic heart failure: a comparison with cromakalim and nitroglycerin

AUTHOR(S): Kamiyo, Takeshi; Kamei, Kenshi; Sugo, Izumi; Kamiyama, Toru; Sudo, Hirokazu; Ohba, Yasuhiro

CORPORATE SOURCE: Fuji Gotemba Research Laboratories, Chugai Pharmaceutical Co., Ltd., Gotemba-shi, Shizuoka, Japan

SOURCE: Journal of Cardiovascular Pharmacology (1999), 33(1), 93-101

CODEN: JCPCDT; ISSN: 0160-2446



PUBLISHER: Lippincott Williams & Wilkins  
 DOCUMENT TYPE: Journal  
 LANGUAGE: English

AB The pharmacol. profiles of nicorandil in the cardiovascular system have been characterized by K-channel opening and nitrate activities. However, the effects of nicorandil on acute heart failure have yet to be elucidated. To investigate the effects of nicorandil under such pathophysiol. conditions, we administered nicorandil i.v. to dogs with acute ischemic heart failure induced by coronary embolization and compared the results with those induced by cromakalim and nitroglycerin. The heart failure in this experiment was demonstrated by a reduction of mean blood pressure

(MBP) from  $143 \pm 3$  to  $129 \pm 2$  mm Hg ( $p < 0.01$ ); cardiac output (CO) from  $2.18 \pm 0.10$  to  $1.06 \pm 0.05$  L/min ( $p < 0.01$ ); stroke volume (SV) from  $12.7 \pm 0.6$  to  $6.8 \pm 0.3$  mL/min ( $p < 0.01$ ); Vmax, an index of the contractility of the left ventricle, from  $105.5 \pm 4.4$  to  $49.9 \pm 1.8$  l/s ( $p < 0.01$ ), and an increase in right atrial pressure (RAP) from  $2.9 \pm 0.3$  to  $5.3 \pm 0.3$  mm Hg ( $p < 0.01$ ); left ventricular end-diastolic pressure (LVEDP) from  $2.5 \pm 0.4$  to  $26.0 \pm 1.4$  mm Hg ( $p < 0.01$ ); and T, time constant of left ventricular relaxation, from  $38.3 \pm 0.8$  to  $62.4 \pm 2.8$  ms ( $p < 0.01$ ). Furthermore, plasma renin activity (PRA) and plasma atrial natriuretic peptide (ANP) increased (from  $1.72 \pm 0.29$  to  $5.03 \pm 0.68$  ng AngI/mL/h,  $p < 0.01$ ; from  $103.9 \pm 5.8$  to  $411.5 \pm 29.4$  pg/mL,  $p < 0.01$ , resp.), whereas brain natriuretic peptide (BNP) remained unchanged (from  $23.1 \pm 2.2$  to  $26.9 \pm 1.4$  pg/mL). Nicorandil (10-40  $\mu$ g/kg/min, i.v. infusion for 20 min for each dosing) or cromakalim (0.25-1  $\mu$ g/kg/min) decreased MBP, systemic vascular resistance (SVR), RAP, and LVEDP, and increased CO, SV, and Vmax. However, the reduction of RAP in cromakalim was significantly smaller than those of nicorandil and nitroglycerin in comparison at similar hypotensive doses. Nitroglycerin (2.5-10  $\mu$ g/kg/min) decreased MBP, RAP, and LVEDP, and increased Vmax but did not change CO or SV. Increased plasma ANP levels, an index of cardiac filling pressure after induction of acute ischemic heart failure, were decreased significantly by cromakalim and tended to decrease by nicorandil or nitroglycerin. Plasma BNP levels and PRA were not influenced by any of these drugs. These results suggest that nicorandil produces the reduction of both preload and afterload followed by an improvement of cardiac contractility in this model. The increase in CO may be mediated mainly by the drug's K-channel opening activities and the reduction of venous tone by its nitrate properties. Nicorandil may prove to be useful in the treatment of acute ischemic heart failure.

REFERENCE COUNT: 29 THERE ARE 29 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

TITLE:  
AUTHOR(S):  
CORPORATE SOURCE:  
SOURCE:

PUBLISHER:  
DOCUMENT TYPE:

130: /  
GM-611 (Chugai pharmaceutical)  
Peeters, Theo L.  
Gut Hormone Laboratory, Louvain, B-3000, Belg.  
Current Opinion in Investigational Drugs (PharmaPress  
Ltd.) (2001), 2(4), 555-557  
CODEN: COIDAZ  
PharmaPress Ltd.  
Journal; General Review

LANGUAGE: English

AB A review. GM-611 is an erythromycin derivative that acts as an agonist at the motilin receptor. It is being developed by Chugai as a potential treatment for gastric motility disorder [169036], as well as reflux esophagitis, non-ulcer dyspepsia and diabetic gastroparesis [347963]. GM-611 is in phase II trials in the US for reflux esophagitis [322624], [347955], [399349]. GM-611 acts by a novel mechanism whereby it stimulates and promotes peristalsis in the stomach and other segments of the gastrointestinal tract [334994]. The drug was shown to produce a dose-dependent sustained depolarization of rabbit duodenal smooth muscle. Depolarization appeared to be associated with activation of monovalent cation-selective channels [273336]. In Dec. 2000, Credit Suisse First Boston predicted that successful development of GM-611 could lead to sales over \$500 million [400228].

IT 154802-96-7, GM 611

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(GM-611 (Chugai pharmaceutical) for treatment of gastric motility disorder)

RN 154802-96-7 HCAPLUS


CN Erythromycin, 8,9-didehydro-N-demethyl-9-deoxo-6,11-dideoxy-6,9-epoxy-12-O-methyl-N-(1-methylethyl)-11-oxo-, (2E)-2-butenedioate (2:1) (9CI) (CA INDEX NAME)

CM 1

CRN 154738-42-8

CMF C40 H69 N O12

Absolute stereochemistry.



CM 2

CRN 110-17-8

CMF C4 H4 O4

Double bond geometry as shown.